



LED/LCD/Plasma Wall Support

SCL10XL




INSTALLATION INSTRUCTIONS



176 lb
(80 kg)


42"-90"



CAUTION


The maximum loading weight is 176 lbs (80kg). This mount is intended for use only with the maximum weights indicated. Use with products heavier than the maximum weights indicated may result in instability causing possible injury. The wall you plan to affix the SCL10XL mount to must be also able to support more than 5 times the weight of the television and the mount combined. Do not use this product for any purpose other than to mount a VESA compliant TV on a vertical surface as outlined in this manual. Improper installation may cause damage to your TV or serious injury. This product should not be mounted on steel stud walls or cinder block walls. Consult a qualified installation contractor if you are unsure about the type of wall you may have.

Select TV Screws




The back of your TV has 4 screw holes in a square or rectangular pattern. This is where the mount will attach to your TV. Suremount provides several sizes and lengths of screws. This guide will help you select the right screws for your TV. You will only use 4 of the provided screws to attach your TV - the rest are not needed.

Supplied Parts and Hardware



Required Tools



1a

80mm
Ø10mm

⚠ WARNING

- Tighten screws so that wall plate is firmly attached, but do not overtighten. Overtightening can damage screws, greatly reducing their holding power.

- Tighten screws so that wall plate is firmly attached, but do not overtighten. Overtightening can damage screws, greatly reducing their holding power.

1b

Diagram 1b illustrates the installation of the sliding door system. The left side shows the door frame being mounted into a wall opening, with a level and a 50mm x 4mm channel being secured. The right side shows the internal mechanism with rollers and cables being attached to the frame. A hand icon indicates the direction of movement.


Tools and Components:

- 50mm x 4mm channel
- Drill
- 13mm nut


Hand Icon: A hand icon pointing to the right, indicating the direction of movement.

H


2a VESA(100X100 / 100X200)




1.




2.



3.




4.




2b

VESA(200X100-800X400)





(A/B/C)+E/D/G


E




3



2 PERSONS
RECOMMENDED
FOR INSTALLING THIS PRODUCT




① Adjust position




② Fixed locking plate

5





Tilt adjustment
-5 ~ +10°

6



Level adjustment
±5°





Dimensions (in mm)

